

SUNNEX[®]




VIENNA


Versatile Chafer




VERSATILE CHAFER - VIENNA




**W16-1102T +
W16-1100B**
Rectangular 1/1 size
8.5L food pan




**W16-2302T +
W16-2300B**
Rectangular 2/3 size
5.5L food pan




**W16-2802T +
W16-2800B**
Soup Station
10L bain marie




**W16-3602T +
W16-3600B**
Round 36cm
6.8L food pan




**W16-1102T +
W16-1102B**
Rectangular 1/1 size
8.5L food pan



**W16-2302T +
W16-2302B**
Rectangular 2/3 size
5.5L food pan



**W16-2802T +
W16-2802B**
Soup Station
10L bain marie



**W16-3602T +
W16-3602B**
Round 36cm
6.8L food pan



Advantages

* Induction Friendly

Top part of the Vienna chafer is fixed with sandwich bottom that enables heat conduction on induction stove. It brings you up to the trend of induction. No more mess with fuel.

* Advance Hydraulic Hinge

Smooth, slow and quiet closing with 80000 times guarantee.

* Dome Cover

Shiny mirror polished dome cover with air vent minimizes condensation and keeps food in good condition.

* Optional Frames

In case you are not yet ready for induction, Vienna chafer could be fit with two optional frames: Alloy legs provide flexibility to fit with electric heating unit or fuel; Compact frame provides integrated one piece look for use with electric heating plate.

Hong Kong Office

20/F., Sunbeam Plaza, 1155 Canton Road, Kowloon, Hong Kong.
Tel: +852-2775-0204 Fax: +852-2772-7499
Website: www.sunnexproducts.com
E-mail: sales@sunnexproducts.com

China(Sha Tou Jiao) Office

2/F., Block A, Dong He Industrial Building, Yue He Street,
Sha Shen Road, Sha Tou Jiao, Shenzhen, China.
Tel: +86-775-25554136 Fax: +86-755-25357487
Website: www.sunnex1929.com
E-mail: sales@sunnex1929.com

All pictures, specifications and other content in this catalogue are the property of Sunnex and shall not be reproduced in any form of media without the expressed written permission from Sunnex.

All product images and specifications are subject to the actual technical data. Sunnex reserves the right to make any change and modification without prior notice.